

# HAND PUMPS

## CHOOSING A GPI HAND PUMP

At GPI, we've expanded our selection of hand pumps to fit nearly every customer application. The **HP-100®** and **HP-90** models, pump fluid on both the push and pull strokes for fast delivery. All of our hand pumps are portable and install quickly.



**PUMP  
SPECS**

**WORLD'S HIGHEST FLOW**



**PORTABLE  
HAND  
PUMP**



MODEL	HP-100-NUL or HP-100-UL	HP-90
PART NUMBER	114000-5 is non-U.L. Listed Model 114000-10 is U.L. Listed Model	131000-1
PUMP TYPE	Piston	Piston
FLOWRATE	25 gallons (95 litre) or 50 gallon (189 litre) settings per 100 strokes.	Up to 25 gallons (95 litres) per 100 strokes.
NOZZLE TYPE	114000-5 is Thermoplastic 114000-10 is Metal	Thermoplastic
HOSE TYPE	114000-5 Buna-N® without static wire 114000-10 with static wire	Buna-N® without static wire
HOSE SIZE	8 ft. (2.5 m) x 3/4 in.	8 ft. (2.5 m) x 3/4 in.
TANK FITTING	2 in. NPT	2 in. NPT
INLET/OUTLET SIZE	1 in. / 3/4 in.	1 in. / 3/4 in.
SUCTION PIPE	Adjustable to 40 in.	Two-piece, Trim-to-fit
UNIQUE FEATURE	Premium pump moves fluid on both push and pull strokes. Lockable.	Dual action economy pump.
USE WITH	Gasoline (up to 15% alcohol blends such as E15), diesel fuel (up to 20% biodiesel blends such as B20) and kerosene. Petroleum products such as medium oil (up to 30W) and hydraulic fluid	Gasoline (up to 15% alcohol blends such as E15), diesel fuel (up to 20% biodiesel blends such as B20) and kerosene. Petroleum products such as light oil (up to 10W) and hydraulic fluid
APPROVALS	U.L. Listed for HP-100-UL Model	None
WARRANTY	2 Year	2 Year

# HAND PUMPS

GPI provides a variety of hand pumps for use with fuels, oils, hydraulic or transmission fluids and kerosene. Compare the features you need to those in the hand pump section to determine the best pump for you.



## PUMP SPECS



MODEL	RP-10-UL	RP-5
PART NUMBER	123000-06	129003-1
PUMP TYPE	Rotary	Rotary
FLOWRATE	Up to 10 gallons (38 litres) per 100 revolutions.	Up to 8 gallons (30 litres) per 90 revolutions.
NOZZLE TYPE	Metal	Spout
HOSE TYPE	U.L. Listed gasoline hose with S.S. static wire	N/A
HOSE SIZE	8 ft. (2.5m) x 3/4 in.	N/A
TANK FITTING	2 in. NPT	2 in. NPT
INLET/OUTLET SIZE	1 in. / 3/4 in.	N/A
SUCTION PIPE	Adjustable to 40 in.	Three-piece metal
UNIQUE FEATURE	Rotary action and handle locks for security.	Basic, rotary action pump.
USE WITH	Gasoline (up to 15% alcohol blends such as E15), diesel fuel (up to 20% biodiesel blends such as B20) and kerosene. Petroleum products such as medium oil (up to 30W) and hydraulic fluid	Petroleum based fluids having a flash point above 100 Deg F. Diesel fuel (up to 20% biodiesel blends such as B20) and kerosene. Petroleum products such as light oil (up to 10W) and hydraulic fluid
APPROVALS	U.L. Listed	None
WARRANTY	2 Year	90 Days

# WHY GPI?

## DESIGNED BETTER TO LAST LONGER!

### The DP-20 Diaphragm Hand Pump



**PUMP  
SPECS**



The GPI DP-20 Diaphragm Hand Pump is compatible with a wide variety of petroleum products and fits any container with a 2-inch NPT bung.

<b>MODEL</b>	<b>DP-20</b>	<b>DP-20-UL</b>
<b>PART NUMBER</b>	138000-01 for Non-UL Model	138000-02 for UL Model
<b>PUMP TYPE</b>	Diaphragm	
<b>FLOWRATE</b>	20 gallons (76 litres) per 100 strokes or 0.2 gallon (0.76 litres) per stroke cycle.	
<b>NOZZLE TYPE</b>	Thermoplastic	
<b>HOSE SIZE</b>	3/4 in. x 8 ft. or 3/4 in. x 8 ft. U.L. Listed Hose	
<b>TANK FITTING</b>	2 in. NPT	
<b>INLET/OUTLET</b>	1 in. / 3/4 in.	
<b>SUCTION PIPE</b>	Plastic, adjustable from 22 to 40 in. (56-102 cm).	
<b>UNIQUE FEATURE</b>	Works with dirty or contaminated fluids	
<b>USE WITH</b>	For use with Gasoline (up to 15% alcohol blends such as E15), diesel fuel (up to 20% biodiesel blends such as B20) and kerosene. Petroleum products such as medium oil (up to 30W) and hydraulic fluid	For use with Gasoline, Gasoline/Ethanol blends at levels designated as "gasohol" (E10 maximum), diesel and kerosene. Petroleum products such as medium oil (up to 30W) and hydraulic fluid
<b>WARRANTY</b>	2 Years	

This **NEW** diaphragm pump is well-suited for dirty or contaminated fluids. Choose this pump when you need a portable, simple and maintenance-free hand pump. Typical applications include: the garage, barn, on top of a barrel or in the back of the truck.

# HAND PUMPS

## GPI ECONOMY HAND PUMPS

GPI economy hand pumps are great for specific projects. Our hand pumps are portable, come complete and install quickly. These inexpensive pumps are great to have on hand



### PUMP SPECS



MODEL	BP-10	BP-12
PART NUMBER	129020-1	129010-1
PUMP TYPE	Plunger	Lever
FLOWRATE	Up to 1.5 pints per stroke.	Up to 1 pint per stroke.
NOZZLE TYPE	Spout	Spout
TANK FITTING	2 in. NPT	2 in. NPT
SUCTION PIPE	Adjustable via sliding bung adapter.	Telescoping suction pipe.
UNIQUE FEATURE	Spout screws off for garden hose attachment.	Convenient lever handle on a barrel pump.
USE WITH	Petroleum products such as light oil (up to 10W), transmission fluid and hydraulic fluid.	Lightweight petroleum products, oils, anti-freeze and kerosene
APPROVALS	None	None
WARRANTY	90 Days	90 Days

# WHY GPI?

**GPI ORDERS ARE SHIPPED TO OUR PROMISE DATE 99% OF THE TIME.**

around the farm, garage or shop. If you don't find the pump you need here, please contact GPI Customer Service for expert help choosing the best hand pump.



## PUMP SPECS



MODEL	CP-5	LP-50
PART NUMBER	129002-1 = single unit 129002-1M4 = 4 pack 129002-1M20 = 20 pack	129000-1
PUMP TYPE	Plunger	Lever
FLOWRATE	Up to 8 ounces per stroke.	Up to 1 pint per stroke.
NOZZLE TYPE	Clear tubing	Molded Acetal spout
TANK FITTING	Slips into 5 gallon pail.	2 in. NPT
SUCTION PIPE	N/A	Expandable to fit drums to 36 in. deep.
UNIQUE FEATURE	Portable – No special tools to install.	Unique design for smooth and easy strokes. Design eliminates seal leakage.
USE WITH	Hydraulic fluids, transmission fluids or motor oils	Water, Antifreeze, Diesel Fuel, Petroleum Based Products, Mild Detergents, Lubricants, Diesel Exhaust Fluid (DEF), urea solution / AUS 32 and most Agricultural Chemicals. <b>Not for use with kerosene, Roundup® Concentrate or Flammable Fluids.</b>
APPROVALS	None	None
WARRANTY	90 Days	90 Days